# ADAMS lus

# Flea & Tick Spray

### KILLS:



icks

🚱 flea eggs

flea larvae

## REPELS:

mosquitoes

#### **ACTIVE INGREDIENTS:**

Etofenprox (CAS #80844-07-1)	0.50%
(S)-Methoprene (CAS #65733-16-6) .	0.27%
Piperonyl Butoxide (CAS #51-03-6)*.	1.75%
OTHER INGREDIENTS:	97.48%
TOTAL	
* (butylcarbityl) (6-propylpiperonyl) e	ether and
related compounds	



# Breaks flea life cycle for up to 2 months

# KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panels For Additional Precautionary Statements Product Code: 100511010 RM#: 300512603 12-0338 Net Contents: 1 qt (32 fl oz) (946 ml)

# ADAMS\* PLUS



## Flea & Tick Spray

PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS - CAUTION: Causes moderate eye irritation. Avoid icontact with eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove iclothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Repeated exposure to letofenprox can cause skin irritation.

HAZARDS TO DOMESTIC ANIMALS – CAUTION: Do not use on puppies less than 10 weeks of age or kittens less than 12 weeks of age. For external use only. Drooling may be observed for a short period of time immediately following product application.

Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of

In case of emergency or for product use information, call 800-234-2269 or visit **adamspetcare.com** 

EPA Reg. No. 2724-797-270 EPA Est. No. 2724-TX-1

Manufactured for: **Farnam Companies, Inc.** 1501 East Woodfield Road, 200W, Schaumburg, IL 60173 (©2009, 2010, 2012, 2014, 2016 Farnam Companies, Inc. Product Code: 100511010 • RM#: 300521320 • 16-10713



sensitivity occur, bathe your pet with mild soft and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Cats: In some cases, excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful.

#### FIRST AID

If in eyes • Call a poison control center or doctor for treatment advice. • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center, doctor or veterinarian or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 800-234-2269, 24 hours per day, 7 days per week.

PHYSICAL HAZARDS: Combustible. Do not use or store near heat or open flame.

**HOW ADAMS™ PLUS FLEA & TICK SPRAY WORKS:**Adams™ Plus Flea & Tick Spray kills adult fleas, flea eggs, flea larvae, ticks, and repels mosquitoes. Flea eggs and larvae sprayed with Adams™ Plus Flea & Tick Spray will not grow into adults.

Adams™ Plus Flea & Tick Spray combines the adult flea killing power of etofenprox with the long-lasting flea egg-killing power of S-Methoprene Insect Growth Regulator. This highly effective combination of ingredients provides quick relief from biting fleas and continuous killing of flea eggs laid on the animal, breaking the flea life cycle. The elimination of both adult fleas and flea eggs is important because adult fleas live on your pet, causing discomfort and skin irritation, while the vast number of eggs that they lay fall off and develop in your house. If fleas are already

developing in your house, then use an Adams™ Plus premise product. Effective flea control requires treatment of your pets, house, and yard.

**IDIRECTIONS FOR USE** - It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

IMPORTANT! READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES (10 WEEKS OF AGE OR OLDER) AND CATS AND KITTENS (12 WEEKS OF AGE OR OLDER)!

**USE RESTRICTIONS:** For indoor use only. Do not apply this product to puppies less than 10 weeks of age and to kittens less than 12 weeks of age. **For Dogs and Puppies:** The maximum application rate for this product is twice per month, and the second application must be made more than 8 days after the initial application. **For Cats and Kittens:** The maximum application rate for this product is once per month.

#### SHAKE WELL BEFORE USING.

For Fleas and Ticks: A light, even coverage of the hair coat will provide effective flea control. Do not allow spray from application or damp pet to come into contact with painted or finished surfaces, including wood floors/furniture, leather/vinyl materials, or other surfaces of concern.

- 1. For best results, ruffle the coat while spraying against the natural lay of the hair. Cover pet's eyes with hand. With a firm, fast stroke, spray head, ears, and chest. If you see a tick, spray it directly.
- With cloth, rub on face around mouth, nose, and eyes. Then spray the neck, middle and hind quarters, finishing with legs and tail last. Avoid spraying rectum and genitals.
- 3. For all pets, spray until damp, not saturated. Do not allow pets

to become chilled.

**4.** Repeat every month for continuous home flea and tick infestation prevention.

Recommended dosage: Note that the recommended dose is about 4 squeezes of the trigger sprayer per pound of body weight. Short-haired pets will need less; more spray may be needed for long-haired pets. In all cases, apply spray until the coat is damp, not saturated.

For Mosquitoes: A light, even coverage of the hair coat (as applied for flea control), will also provide effective repellency of mosquitoes.

Adams™ Plus Flea & Tick Spray is most effective when used as part of a total flea and tick management program. Use other Adams™ Plus products registered for residential premise control (carpets, upholstery and pet bedding) of these pests in conjunction with this treatment. Monthly premise treatments are required for optimal control and prevention of fleas and ticks.

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with Adams™ Plus Flea & Tick Spray kills fleas and may reduce the incidence of this condition.

STORAGE and DISPOSAL: Pesticide Storage: Do not store near heat or open flame. Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. Container Disposal: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

# ADAMS\* PLUS

# Flea & Tick Spray

#### ACTIVE INGREDIENTS:

Etofenprox (CAS #80844-07-1)	0.50%
(S)-Methoprene (CAS #65733-16-6)	0.27%
Piperonyl Butoxide (CAS #51-03-6)*	1.75%
OTHER INGREDIENTS	97.48%
TOTAL	100.00%

1\* (butylcarbityl) (6-propylpiperonyl) ether and related compounds

## KEEP OUT OF REACH OF CHILDREN **CAUTION**

See attached booklet for Precautionary Statements, First Aid and Use Directions

In case of emergency or for product use information, call 800-234-2269 or visit adamspetcare.com

EPA Reg. No. 2724-797-270 EPA Est. No. 2724-TX-1

#### Manufactured for: Farnam Companies, Inc.

1501 East Woodfield Road, 200W, Schaumburg, IL 60173

Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company. The Adams blue bottle is a trademark of Farnam Companies, Inc. All other trademarks are property of their respective owners. Product Code: 100511010 • RM#: 300521320 • 16-10713



NET CONTENTS: 1 QT (32 FL OZ)

**BASE LABEL**