



Flea & Tick Indoor Fogger



Each Fogger Treats
Up To 3000 Cubic Feet

Protects from
fleas for 7 months

Flea & Tick Indoor Fogger

KILLS:



ACTIVE INGREDIENTS:

| | |
|----------------------------------------------------------|----------------|
| (S)-Methoprene (CAS #65733-16-6)..... | 0.09% |
| Etofenprox (CAS #80844-07-1)..... | 0.50% |
| Tetramethrin (CAS #7696-12-0)..... | 0.40% |
| N-octyl Bicycloheptene Dicarboximide (CAS #113-48-4).... | 0.50% |
| OTHER INGREDIENTS*: | 98.51% |
| TOTAL | 100.00% |

*Contains petroleum distillates

** (S)-Methoprene

EPA Reg. No. 2724-808-270

① EPA Est. No. 11623-GA-2

Ⓝ EPA Est. No. 33595-MO-4

Circled letter in front of the EPA Est No. corresponds to the first letter in lot number on bottom of container.

Net Weight: 9 oz (3 x 3 oz cans)
3 oz. CAN NOT FOR INDIVIDUAL SALE

with
****INFEST
STOP™**

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

See back and side panels for
additional Precautionary Statements

For instructions and warranty in Spanish, see
inside of carton. Para leer las instrucciones y la
garantía en español, vea dentro de la caja.

Flea Life Cycle



IMPORTANT INFORMATION ABOUT FLEA CONTROL

To minimize flea infestation, it is necessary to treat not only your pets, but also their surrounding environment. Adams™ Plus products have been formulated to work well with other Adams™ Plus products. For best results, simply follow these three easy steps:

TREAT YOUR PET

- Apply a topical or shampoo to your pet to kill biting adult fleas on your pet.
- Adams™ Plus products, to treat your pet, kill adult fleas and flea eggs with a combination of an adulticide and an Insect Growth Regulator.

PROTECT YOUR PET

- Collar your pet to provide long-lasting protection.
- Adams™ Plus collars kill biting adult fleas.
- Use Adams™ Plus Flea & Tick Spray to provide quick kill of fleas your pet picks up on outings.

TREAT YOUR HOME

- Treat indoors and outdoors with Adams™ Plus products to protect your entire home and guard against flea reinfestation.



ADAMS™ PLUS FLEA & TICK INDOOR FOGGER

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THE ENTIRE LABEL PRIOR TO USE. USE STRICTLY IN ACCORDANCE WITH ALL LABEL PRECAUTIONS AND DIRECTIONS.

INSTRUCCIONES EN ESPAÑOL DENTRO DE LA CAJA.

USE RESTRICTIONS:

Wait two (2) hours after application, then open windows, vents, and doors for two hours. If an odor is still detected, additional ventilation is required. Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.

Adams™ Plus Flea & Tick Indoor Fogger kills adult fleas, hatching flea eggs, flea larvae, ticks, house flies, cockroaches, ants, spiders, mosquitoes, silverfish, crickets, wasps, and hornets. **Does not control bed bugs.** The Insect Growth Regulator in Adams™ Plus Flea & Tick Indoor Fogger provides 7 months' protection by preventing flea eggs from ever developing into biting fleas. This Adams™ Plus Flea & Tick Indoor Fogger enables you to fill an entire room with insect-killing fog while you are away. For best results, use Adams™ Plus Flea & Tick Indoor Fogger together with other Adams™ Plus™ products for complete control of fleas. For best results, treat entire dwelling with particular attention to kitchens and bathroom areas. Use only one 3 oz fogger for each 375 sq. ft. per room (25' X 15' area with an 8' ceiling or 3,000 cubic feet) of floor space.

SHAKE WELL BEFORE USING.

TO USE THIS PRODUCT CORRECTLY:



DO NOT USE MULTIPLE FOGGERS PER ROOM.



DO NOT USE IN SMALL ENCLOSED SPACES SUCH AS CLOSETS, CABINETS OR UNDER COUNTERS OR TABLES. USE OF A FOGGER IN AN ENCLOSED SPACE MAY CAUSE THE PRODUCT TO EXPLODE, RESULTING IN INJURY TO PEOPLE OR DAMAGE TO PROPERTY. DO NOT USE IN A ROOM 5 FT. X 5 FT. OR SMALLER; INSTEAD, ALLOW FOGS TO ENTER FROM OTHER ROOMS.

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

BEFORE YOU FOG:



Vacuum thoroughly before fogging. To ensure unobstructed flow of fogger mist, OPEN cabinets, cupboards, drawers, closets and doors in areas to be treated.

REMOVE or cover exposed foods, dishes, cooking utensils, food-processing equipment and surfaces. REMOVE pets and birds; COVER and turn off air flow systems in aquariums. REMOVE or COVER children's and pets' toys. COVER waxed wood floors and waxed wood furniture in the immediate area surrounding the fogger (newspaper may be used).



CLOSE outside doors and windows. SHUT OFF fans and air conditioners and temporarily disconnect smoke alarms.

UNPLUG AND TURN OFF ALL IGNITION SOURCES SUCH AS PILOT LIGHTS (SHUT OFF GAS VALVES), OTHER OPEN FLAMES, OR OTHER RUNNING ELECTRICAL APPLIANCES THAT CYCLE OFF AND ON (I.E., REFRIGERATORS, THERMOSTATS, ETC.).



NO FLAMES OR PILOT LIGHTS. Call your gas utility or management company if you need assistance with your pilot lights.

DO NOT use fogger in a cabinet or under a counter or table. Place a chair, table or stand in the center of the room to be fogged. Cover with several layers of newspaper or paper towels.

TO START FOGGING:




SHAKE WELL BEFORE USING. Before activating, tilt sprayer AWAY from face (fogger sprays up). Press down firmly on edge of actuator tab until it locks into place. Do not inhale the spray mist. Set fogger on chair covered with newspapers or paper towels and leave the premises immediately. **Vacate the treated house, individual apartment unit, or other structure immediately.** KEEP TREATED AREA CLOSED. DO NOT RE-ENTER FOR AT LEAST TWO HOURS. Keeping treated area sealed for a longer period will enhance fogger performance. Use enclosed Door Hang Tag to mark the time when re-entry is permitted (at least two hours after the start time).

AFTER FOGGING:



Do Not Re-enter for 2 Hours. Air out the room before entering. AIRING OUT: BEFORE REOCCUPYING THE AREA, OPEN ALL DOORS AND WINDOWS, TURN ON AIR CONDITIONER AND FANS AND ALLOW TREATED AREA TO AIR OUT FOR TWO HOURS.



Do not allow children or pets to contact treated surfaces until spray has dried. Turn on all pilot lights and appliances, smoke alarms, and aquariums that were turned off. For best results, spot treat with Adams™ Plus premise products under beds, furniture, or obstructed areas where fogger mist may not penetrate.

NOTE: When treating for fleas or ticks, clean and treat pet sleeping areas. Also treat dogs and cats with a flea control product registered for use on pets before allowing them to re-enter the treated areas.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not store near heat or open flame. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. **CONTAINER DISPOSAL:** Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION:

Causes moderate eye irritation. Repeated exposure to etofenprox can cause skin irritation. Avoid contact with eyes, skin, or clothing. Breathing spray mist may be harmful. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.



FIRST AID

| | |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If in eyes | <ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice. |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 800-234-2269, 24 hours per day, 7 days per week.

Note to Physician/Veterinarian: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

PHYSICAL OR CHEMICAL HAZARDS:

Extremely Flammable Ingredient



Ingrediente Extremadamente Inflamable

Flammable. This product contains a highly flammable ingredient. It may cause fire or explosion if not used properly. Follow the Directions for Use on this label carefully. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

WARRANTY STATEMENT

Seller warrants that this product conforms to the chemical specifications expressed on the label. To the extent consistent with applicable law, Seller makes no other warranties and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability for default, breach, or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

In case of emergency or for product use information, call 800-234-2269 or visit our web site: adamspetcare.com.

Contains no CFC or other ozone-depleting substances. Federal regulations prohibit CFC propellants in aerosols.

Manufactured for: Farnam Companies, Inc.

1501 E Woodfield Rd, 200W, Schaumburg, IL 60173

©2012, 2015, 2016, 2017 Farnam Companies, Inc.

Item: 100522363 • RM: 99.000119.03 • 17-10794

Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company. Infest Stop is a trademark of Farnam Companies, Inc. All other trademarks are the property of their respective owners.

Protects from
fleas for 7 months

ADAMS
PLUS

Flea & Tick Indoor Fogger

KILLS:



with
**INFEST
STOP**

ACTIVE INGREDIENTS:

| | |
|-------------------------------------------------------------------|---------|
| (S)-Methoprene (CAS #65733-16-6) | 0.09% |
| Etofenprox (CAS #80844-07-1) | 0.50% |
| Tetramethrin (CAS #7696-12-0) | 0.40% |
| N-octyl Bicycloheptene Dicarboximide (CAS #113-48-4) | 0.50% |
| OTHER INGREDIENTS*: | 98.51% |
| TOTAL | 100.00% |

*Contains petroleum distillates

** (S)-Methoprene

Net Contents: 3 oz. (85 g)

NOT FOR INDIVIDUAL SALE

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

See Back Panel For Additional
Precautionary Statements

PRECAUTIONARY STATEMENTS – HAZARDS TO HUMANS AND DOMESTIC ANIMALS – CAUTION: Causes moderate eye irritation. Repeated exposure to etofenprox can cause skin irritation. Avoid contact with eyes, skin, or clothing. Breathing spray mist may be harmful. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID

| | |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If in eyes | <ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), you may call 800-234-2269, 24 hours per day, 7 days per week.

Note to Physician/Veterinarian:

Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

PHYSICAL OR CHEMICAL HAZARDS:

**Extremely
Flammable
Ingredient**



**Ingrediente
Extremadamente
Inflamable**

Flammable. This product contains a highly flammable ingredient. It may cause fire or explosion if not used properly. Follow the Directions for Use on the carton carefully. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F. may cause bursting.

STORAGE and DISPOSAL: PESTICIDE STORAGE:

Do not store near heat or open flame. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. **CONTAINER DISPOSAL:** Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

In case of emergency or for product use information, call **800-234-2269** or visit our web site: adamspetcare.com.

Manufactured for: **Farnam Companies, Inc.**
1501 E Woodfield Rd, 200W, Schaumburg, IL 60173


EPA Reg. No. 2724-808-270
Ⓝ EPA Est. No. 11623-GA-2
Ⓝ EPA Est. No. 33595-MO-4

Circled letter in front of the EPA Est No. corresponds to the first letter in lot number on bottom of container.

©2012, 2015, 2016, 2017 Farnam Companies, Inc. Item: 100522363 • RM: 99.0001118.03 • 17-10795 Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company. Infest Stop is a trademark of Farnam Companies, Inc. All other trademarks are the property of their respective owners.



For instructions and warranty in Spanish, see inside of carton. If you do not have a carton, call 800-234-2269. Para leer las instrucciones y la garantía en español, vea dentro de la caja. Si no tiene la caja, llame al 800-234-2269.



Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for two (2) hours.

Do not enter until _____ on
_____ (insert time)
_____ (insert date).

This room is currently being treated by


_____ (insert product name).

Complete y coloque la etiqueta colgante en la puerta del área tratada para avisar a la familia y a quienes tengan acceso al área tratada que no entren durante dos (2) horas.

No entrar hasta las _____ del
_____ (insertar hora)
_____ (insertar fecha).

Esta habitación está, actualmente, bajo tratamiento con

_____ (insertar el nombre del producto).



Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for two (2) hours.

Do not enter until _____ on
_____ (insert time)
_____ (insert date).

This room is currently being treated by


_____ (insert product name).

Complete y coloque la etiqueta colgante en la puerta del área tratada para avisar a la familia y a quienes tengan acceso al área tratada que no entren durante dos (2) horas.

No entrar hasta las _____ del
_____ (insertar hora)
_____ (insertar fecha).

Esta habitación está, actualmente, bajo tratamiento con

_____ (insertar el nombre del producto).



Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for two (2) hours.

Do not enter until _____ on
_____ (insert time)
_____ (insert date).

This room is currently being treated by

_____ (insert product name).

Complete y coloque la etiqueta colgante en la puerta del área tratada para avisar a la familia y a quienes tengan acceso al área tratada que no entren durante dos (2) horas.

No entrar hasta las _____ del
_____ (insertar hora)
_____ (insertar fecha).

Esta habitación está, actualmente, bajo tratamiento con

_____ (insertar el nombre del producto).